

Amendments to the Specification

Please replace Table 3 on page 13 of the specification as follows:

	ELISA (IU/mL)							
	Double Antigen				Indirect TT		Indirect rTTc	
	Day 0	Day 28	Day 38	Day 52	Day 38	Day 52	Day 38	Day 52
GCMP-TT	<0.002	4.98	72.1	54.5	170.3	102.6	7.2	10.4
GCMP-rTTc	<0.002	<0.02	<0.002	0.006	0.12	0.20	13.6	19.7
GCMP-TTc	<0.002	<0.02	<0.002	0.003	0.001	0.05	0.55	2.3
Anti rTTc Mab	24.0				20.1		20.1	

	ELISA (IU/mL)							
	Double Antigen				Indirect TT		Indirect rTTc	
	Day 0	Day 28	Day 38	Day 52	Day 38	Day 52	Day 38	Day 52
GCMP-TT	<0.002	4.98	72.1	54.5	170.3	102.6	7.2	10.4
GCMP-rTTc	<0.002	<0.02	<0.002	0.006	0.12	0.20	13.6	19.7
GCMP-TTc	<0.002	<0.02	<0.002	0.003	0.001	0.05	0.55	2.3
Anti rTTc Mab	24.0				20.1		20.1	